

◆ Features:

- Flexible linear decorative light
- Bending 360deg – side and top view
- typical indoor application
- cuttable 2,5cm
- 5m reel
- up to 5y warranty
- Connection accessories
- Silicone cover

◆ Application:

- Neon tube light
- Signage letters
- Ships, yachts, trucks, foodtrucks
- Bathroom, SPA, pools

◆ Photo:






NEON SIGNAGE FLEX

	MODEL	MW-NS-0612-XX-12V	MW-NS-0816-XX-12V
Supply	Working voltage	12Vdc +/- 5%	
	Power consumption	9W/m 45W/5m reel	12W/m 60W/5m reel
Diodes	Wymiary diod	2835	
	Light colour (XX =)	XX = W - white (6000-8000K) XX = WW – warm white (3000K) XX = R – red XX = B – blue XX = G – green XX = P – pink XX = GY – golden-yellow XX = LY – lemon-yellow XX = IB – Iced Blue XX = RGB	
	Beam angle	300°	
	Flux	320lm (W)/m	350lm (W)/m
	Lifetime	L70B50 > 25 000 hours	
Wires	Lenght	150 mm	
	Description	Red-white (+) White (-) White (+), red, green,blue (-) / RGB	
Features	IP degree	IP 65 UV proof Salt air proof	
	Temperature	Working: -25°C ... +55°C Storage: -40°C ... +65°C	
Dimmension	Dimmension	6 x 12 mm	8 x 16 mm
	Cutable	25mm	
Assembly	Plastic clip	MW-NS-0612-MB-PC	MW-NS-0816-MB-PC
	Alu Clip	MW-NS-0612-MB-AC	MW-NS-0816-MB-AC
	Linear clips	MW-NS-0612-MB-LIN	MW-NS-0816-MB-LIN
End caps	Waterproof	MW-NS-0612-EC-XX-WP	MW-NS-0816-EC-XX-WP
	Waterproof with hole	MW-NS-0612-ECo-XX-WP	MW-NS-0816-ECo-XX-WP
	Indoor end cap	MW-NS-0612-EC-XX	MW-NS-0816-EC-XX
Others	Material	Silikon	
	Package	Reel 5m	


◆ APPLICATION



PLASTIC MOUNTING CLIP




ALUMINUM CLIP



ALUMINUM LINEAR ALYUMUNUM BRACKET

END CAP (8 COLOURS):



END CAPS WATERPROOF (8 COLOURS):

- WITHOUT HOLE
- WITH HOLE FOR WIRES

